



At Crown, our attention to detail and devotion to the classical orders are absolute. Because our standards are exacting, we produce columns certain to meet your individual needs, regardless of the shape, size, design, or species of wood that you require. We closely control the quality and preciseness of entasis, projections and profiles as our master craftsmen make each architectural column to your custom specifications.

Through our extensive lumber sources, Crown carries virtually every type of wood, be it a standard exterior such as Western Red Cedar and Clear All-Heart Redwood, or an interior paint grade such as finger-jointed pine or poplar. Crown uses only the best kiln-dried lumber available. Exotic hardwoods such as teak, mahogany, cherry, walnut and other highly sought after species are available in unlimited designs.

Premium finishing services are included in the pricing of our custom-made



architectural products. This includes two or three coats of primer to prepare the surface for painting at the job site. We precisely trim each end of the shaft and apply an exterior treatment of asphaltum paint inside the entire length of the shaft. We also construct heavy custom wooden crates to ensure safe transit.

***Ionic
Fluted
Column
with Roman
Corinthian
Capital***



Architectural



Shaft Bottom Diameter	Shaft Top Diameter	Plinth Width	Plinth Height	Base Mold Height	Square Cap Width	Square Cap Height	Cap Round Height	Neck Height	Bead Height
A	B	C	D	E	F	G	H	J	K
8"	6 1/2"	10 3/4"	1 7/8"	2 3/8"	9 3/8"	1 3/8"	1"	1 5/8"	1"
10"	8 1/2"	13 3/8"	2 3/8"	2 7/8"	12 1/8"	1 3/4"	1 1/4"	2 1/16"	1 1/4"
12"	10"	16 1/8"	2 3/4"	3 1/4"	14 3/8"	2"	1 3/8"	2 1/2"	1 3/8"
14"	12"	18 3/4"	3 3/8"	4"	17 1/8"	2 3/8"	1 5/8"	2 7/8"	1 1/2"
16"	13 1/2"	21 1/2"	3 7/8"	4 1/2"	19 1/4"	2 3/4"	1 7/8"	3 3/8"	2"
18"	15"	24 1/4"	4 1/4"	5 3/8"	21 1/2"	3"	2 1/8"	3 3/4"	2 1/8"
20"	17"	27"	4 3/4"	6"	24 1/4"	3 3/8"	2 1/4"	4 1/8"	2 1/4"
22"	18 1/2"	29 3/4"	5 1/4"	6 7/8"	26 1/2"	3 3/4"	2 1/2"	4 1/2"	2 1/2"
24"	20"	32 1/2"	5 3/4"	7 1/2"	28 3/4"	4 1/8"	2 3/4"	5"	2 5/8"
26"	22"	35"	6 1/4"	8 3/8"	31 1/2"	4 3/8"	3"	5 3/8"	2 7/8"
28"	23 1/2"	38"	6 3/4"	8 3/4"	33 3/8"	4 3/4"	3 1/4"	5 7/8"	3"
30"	25"	40 1/2"	7 1/4"	9 1/4"	35 3/4"	5 1/8"	3 1/2"	6 1/4"	3 1/2"
32"	27"	43 3/8"	7 3/4"	10"	37 5/8"	5 1/2"	3 3/4"	6 5/8"	3 5/8"
34"	28 1/2"	46"	8 1/4"	10 7/8"	41"	5 3/4"	3 7/8"	7 1/8"	3 3/4"
36"	30"	48 3/4"	8 3/4"	11 3/8"	42 3/4"	6 1/4"	4 1/4"	7 1/2"	4"



*Design 100P(Plain)
100F(Fluted)*

*Cap: TUSCAN
Base: TUSCAN*




Shaft Bottom Diameter	Shaft Top Diameter	Square Cap Height	Round Cap Height	Neck Height	Square Cap Width
A	B	C	D	E	F
8"	6 1/2"	1 3/8"	1 5/8"	1/2"	9 1/4"
10"	8 1/4"	1 3/4"	2 1/16"	5/8"	11 5/8"
12"	9 3/4"	2 1/8"	2 9/16"	3/4"	13 3/4"
14"	11 1/4"	2 7/16"	2 13/16"	1"	16"
16"	12 3/4"	2 13/16"	3 3/8"	1 1/8"	18 1/8"
18"	14 1/2"	3 1/8"	3 11/16"	1 1/4"	20 1/2"
20"	16"	3 1/2"	4 1/16"	1 7/16"	22 5/8"
22"	18"	3 3/4"	4 3/8"	1 9/16"	25 1/4"
24"	19 1/2"	4 1/4"	4 7/8"	1 3/4"	27 1/8"
26"	20 1/2"	4 9/16"	5 5/16"	1 7/8"	29"
28"	22 1/2"	4 7/8"	5 3/4"	2"	31 3/4"
30"	24"	5 1/4"	6 1/8"	2 1/8"	34"
32"	26"	5 5/8"	6 9/16"	2 1/4"	36 3/4"
34"	27 1/4"	5 7/8"	6 7/8"	2 3/8"	38 3/4"
36"	29"	8 1/4"	7 3/8"	2 1/2"	41"

*Design 200P(Plain)
200F(Fluted)*
*Cap: GREEK DORIC
Base: NONE*




Architectural



Shaft Bottom Diameter	Shaft Top Diameter	Plinth Width	Plinth Height	Base Mold Height	Square Cap Width	Square Cap Height	Cap Round Height	Neck Height	Bead Height
A	B	C	D	E	F	G	H	J	K
8"	6 1/2"	10 3/4"	1 7/8"	2 3/8"	9 3/4"	1 1/2"	1 1/8"	1 5/8"	1"
10"	8 1/2"	13 3/8"	2 3/8"	3"	12 1/2"	1 3/4"	1 3/8"	2 1/16"	1 1/4"
12"	10"	16 1/8"	2 3/4"	3 7/16"	14 3/4"	2 3/8"	1 5/8"	2 1/2"	1 3/8"
14"	12"	18 3/4"	3 3/8"	4"	17 1/2"	2 3/4"	2"	2 7/8"	1 1/2"
16"	13 1/2"	21 1/2"	3 7/8"	4 7/8"	19 7/8"	3 1/8"	2 1/4"	3 3/8"	2"
18"	15"	24 1/4"	4 1/4"	5 5/8"	22 1/4"	3 1/2"	2 1/2"	3 3/4"	2 1/8"
20"	17"	27"	4 3/4"	6 1/4"	25"	4"	2 3/4"	4 1/8"	2 1/4"
22"	18 1/2"	29 3/4"	5 1/4"	6 3/4"	27 3/8"	4 3/8"	3"	4 1/2"	2 1/2"
24"	20"	32 1/2"	5 3/4"	7 1/2"	29 3/4"	4 1/2"	3 1/4"	5"	2 5/8"
26"	22"	35"	6 1/4"	8 1/8"	32 1/2"	5 1/8"	3 1/2"	5 3/8"	2 7/8"
28"	23 1/2"	38"	6 3/4"	8 5/8"	34 5/8"	5 1/2"	3 7/8"	5 7/8"	3"
30"	25"	40 1/2"	7 1/4"	9 3/8"	37"	5 7/8"	4 1/8"	6 1/4"	3 1/2"
32"	27"	43 3/8"	7 3/4"	10"	39 1/4"	6 1/4"	4 1/4"	6 5/8"	3 5/8"
34"	28 1/2"	46"	8 1/4"	10 3/4"	42 1/8"	6 5/8"	4 5/8"	7 1/8"	3 3/4"
36"	30"	48 3/4"	8 3/4"	11 1/4"	44 1/8"	7"	5"	7 1/2"	4"

*Design 300P(Plain)
300F(Fluted)*
Cap: ROMAN DORIC
Base: ROMAN DORIC



Shaft Bottom Diameter	Shaft Top Diameter	Plinth Width	Plinth Height	Base Mold Height	Square Cap Width	Square Cap Height	Round Cap Height	Neck Height	Bead Height
A	B	C	D	E	F	G	H	J	K
8"	6 1/2"	10 3/4"	1 7/8"	3 1/4"	9 3/4"	1 1/2"	1 1/8"	1 5/8"	1"
10"	8 1/2"	13 3/8"	2 3/8"	3 7/8"	12 1/2"	1 3/4"	1 3/8"	2 1/16"	1 1/4"
12"	10"	16 1/8"	2 3/4"	4 1/2"	14 3/4"	2 3/8"	1 5/8"	2 1/2"	1 3/8"
14"	12"	18 3/4"	3 3/8"	5 3/8"	17 1/2"	2 3/4"	2"	2 7/8"	1 1/2"
16"	13 1/2"	21 1/2"	3 7/8"	6 1/4"	19 7/8"	3 1/8"	2 1/4"	3 3/8"	2"
18"	15"	24 1/4"	4 1/4"	7 1/8"	22 1/4"	3 1/2"	2 1/2"	3 3/4"	2 1/8"
20"	17"	27"	4 3/4"	8 1/8"	25"	4"	2 3/4"	4 1/8"	2 1/4"
22"	18 1/2"	29 3/4"	5 1/4"	9"	27 3/8"	4 3/8"	3"	4 1/2"	2 1/2"
24"	20"	32 1/2"	5 3/4"	9 15/16"	29 3/4"	4 1/2"	3 1/4"	5"	2 5/8"
26"	22"	35"	6 1/4"	10 5/8"	32 1/2"	5 1/8"	3 1/2"	5 3/8"	2 7/8"
28"	23 1/2"	38"	6 3/4"	11 3/8"	34 5/8"	5 1/2"	3 7/8"	5 7/8"	3"
30"	25"	40 1/2"	7 1/4"	12"	37"	5 7/8"	4 1/8"	6 1/4"	3 1/2"
32"	27"	43 3/8"	7 3/4"	13 1/8"	39 1/4"	6 1/4"	4 1/4"	6 5/8"	3 5/8"
34"	28 1/2"	46"	8 1/4"	14"	42 1/8"	6 5/8"	4 5/8"	7 1/8"	3 3/4"
36"	30"	48 3/4"	8 3/4"	14 3/4"	44 1/8"	7"	5"	7 1/2"	4"

*Design 400P(Plain)
400F(Fluted)*
Cap: ROMAN DORIC
Base: ATTIC

