

# Balustrade Systems

- Low Maintenance
- Primed White (ready to install and paint)
- Easy Installation
- 25 Year Warranty

HB&G has created a unique and elegant balustrade system that can make your home stand out from the rest.



These low-maintenance features are made by molding high-density urethane around structural elements in order to provide

exceptional beauty, durability, and quality. Choose from three rail sizes and several baluster profiles. Curved balustrade systems are

available in 10' sections. For more information about this exceptional addition to your porch, call 1-800-264-4HBG.



12" Round PermaCast® Columns with Tuscan Cap and Base and 7" Balustrade System

# 6" Balustrade System

**NEW  
BALUSTER  
STYLES IN  
STOCK**

### SQUARE

Baluster 58029, Baluster 58030, Baluster 58037, Baluster 58038

### SAFFRON

Baluster 58031

### SHANNON

Baluster 58036, Extended Baluster 58032

### SHELBY

Baluster 58033, Baluster 58034, Extended Baluster 58035

Poly molding provided loose to be installed on job site. See page 5 for panel molding styles.

### SHERWOOD

Baluster 58061, Baluster 58062, Baluster 58063

### SIDNEY

Baluster 58071, Baluster 58072, Baluster 58073


Plain Newel #57088, Five Sided Angle Newel #57084

Ball Cap\* #57087  
\*Must be used with Flat Cap  
Pyramid Cap #57085  
Flat Cap #57086  
Five Sided Pyramid Cap #57083

Top Rail, Bottom Rail

Top View Five Sided Angle Newel, Panel Newel and Corner Newel #57089

**NEW** **NEW**



6"			
	M	Maximum Spacing	O/C
58031	7/8"	2 1/4"	5 1/4"
58032	7/8"	2 1/4"	5 1/4"
58036	7/8"	2 1/4"	5 1/4"
58033	1"	2"	5 1/2"
58034	1"	2"	5 1/2"
58035	1"	2"	5 1/2"
58037	1"	2"	5 1/2"
58038	1"	2"	5 1/2"
58029	0"	4"	7"
58030	0"	4"	7"


6"			
	M	Maximum Spacing	O/C
58061	1 1/16"	1 3/4"	5 1/4"
58062	1 1/16"	1 3/4"	5 1/4"
58063	1 1/16"	1 3/4"	5 1/4"
58071	1"	2 1/8"	5 1/8"
58072	1"	2 1/8"	5 1/8"
58073	1"	2 1/8"	5 1/8"

**We can now  
manufacture  
custom Balusters**


# 7" Balustrade System

**NEW  
BALUSTER  
STYLES IN  
STOCK**


## CALVERT













## CARRINGTON



## CORBEN



## CLEMENT



**NEW**

**NEW**




Clement

Corben

Carrington

Calvert




7"

	M	Maximum Spacing	O/C
58041	1-3/8"	1-1/4"	6-1/2"
58042	1-3/8"	1-1/4"	6-1/2"
58045	1-3/8"	1-1/4"	6-1/2"
58043	1-3/8"	1-1/4"	6-1/2"
58044	1-3/8"	1-1/4"	6-1/2"
58046	1-3/8"	1-1/4"	6-1/2"
58081	1-5/16"	1-3/8"	6-5/8"
58082	1-5/16"	1-3/8"	6-5/8"
58083	1-5/16"	1-3/8"	6-5/8"
58091	1-5/16"	1-3/8"	6-5/8"
58092	1-5/16"	1-3/8"	6-5/8"
58093	1-5/16"	1-3/8"	6-5/8"





**We can now  
manufacture  
custom  
Balusters**

# 12" Balustrade System


## MANDEVILLE






## MANASSES





Poly molding provided loose to be installed on job site. See page 5 for panel molding styles.



Plain Newel #57094




Ball Cap  
7" 63058  
10" 57096  
12" 57093  
\*Must be used with Flat Cap



Mandeville

Manasses



12"

	M	Maximum Spacing	O/C
58051	1-3/4"	1/2"	7-1/2"
58052	1-3/4"	1/2"	7-1/2"
58053	1-3/4"	1/2"	7-1/2"
58054	2-3/4"	0"	7-1/2"
58055	2-3/4"	0"	7-1/2"
58056	1-3/4"	0"	7-1/2"

We can now manufacture custom Balusters

## Curved Balustrade System

- 6", 7" and 12" Rail Styles
- Low Maintenance
- Primed White (ready to install and paint)
- Easy Installation
- 25 Year Warranty
- Available in 60"-108' radius
- Modified Radius Available
- Custom Radius Available

HB&G Curved Balustrade System will add an elegant finishing touch to any house. Each top and bottom rail style is available in radius from 60" to 108" in 10' lengths. (See pages 40-42 for rail styles)



Must purchase balustrade and newel separately.


### Building Codes

HB&G recommends checking all local, state, and national building codes before the design and installation of your balustrade system.

HB&G is not responsible or liable for any balustrade system that does not meet the requirements of the governing building code in the location where the system is installed.

The space between the bottom rail and the substrate should not be more than 2".

### TYPICAL ASSEMBLY



Complete installation instructions are available on our web site or contact us via telephone or email.

NOTE: Rails are not pre-drilled.

### Warranty

HB&G warrants that for 25 years the components in its Balustrade Systems are free from defects in material and workmanship. Assuming proper installation, HB&G will repair or replace any component which has failed as a result of defective materials or workmanship. In the event of a claim against this warranty, proof of purchase, with date will be required to affect such a claim. Installation cost not included. HB&G gives no other warranty expressed or implied.